



IT6821 18V / 5A / 90W

Compact, affordable programmable Power supply

The IT6800-series of programmable dc power supplies give you the performance of system power supplies without the high price. All models give you clean power, dependable regulation and programmable with GPIB, USB and RS-232 interface. IT6800series are designed to meet the most demanding applications with high performance and reliability you can count on

Feature

- Liner Programmable Power supply
- USB/GPIB/RS232 Interface
- Intellective fan cooling
- SCPI Compatible
- VFD Display
- Specifications

- Low noise and ripple output
- CV / CC Mode
- ½2U Standard 19" rack or bench top install
- Convenient numeric keypad
- Over current and temperature protection

_		
Output Ratings	Voltage	0-18V
	Current	0-5A
Load Regulation	Voltage	< 0.02% + 5 mV
	Current	< 0.01% + 3mA
Line Regulation	Voltage	< 0.01% + 3mV
	Current	< 0.1% + 2mA
Setup Resolution	Voltage	10mV
	Current	10mA
Setup Accuracy	Voltage	$\leq 0.05\% + 10 \text{mV}$
	Current	≤0.2%+10mA
Readback Resolution	Voltage	$10 \text{mV}(<20 \text{V}) / 100 \text{mV}(\geq 20 \text{V})$
	Current	10mA

Voltage<20V Readback Accuracy $\leq 0.05\% + 15 \text{mV}$ Voltage≥20V $\leq 0.05\% + 120 \text{mV}$ Current <0.1%+15mA Voltage

Ripple(20-20MHz) $\leq 0.5 \text{mVrms/} 3 \text{mVp-p}$

Current ≤5mArms

Temperature Operating 0 to 40 ≤ 75 R.H.

-15 to 70 ≤ 85 R.H. Storage W*H*D(mm)214.5 * 88.2 * 354.6

Weight Net 8Kg

Standard Accessories

AC Line Cord

Dimension

- USER Manual
- Calibration Report

Optional Accessories

- IT-E131 RS232 Communication Cable
- IT-E132 USB Communication Cable
- IT-E133 GPIB Communication Cable
- IT-E151 19" Rack Mount Kit